

FENDT

CARAVAN



2020

Saphir • Bianco Selection • Bianco Activ • Tendenza • Opal • Diamant

2020

CONTENTS

- 04 The typical Fendt Caravan – quality as a practical advantage
- 12 Saphir – individual solutions for all stages of family life
- 24 Bianco – the ideal companion for any caravan activity: Bianco Selection and Bianco Activ
- 40 Tendenza – an emblem of modern class
- 52 Opal – the fully redesigned luxury class
- 64 Diamant – sets the standards in the high-end luxury class
- 76 Standard equipment – chassis, exterior fittings
- 78 Choice of beds
- 79 Bed overview in the model range
- 80 Dimensions and weights of all model ranges
- 83 Legend

FENDT-CARAVAN

Saphir / Bianco Selection / Bianco Activ / Tendenza / Opal / Diamant

03



12-year warranty
On the structure
connections sealings

Rounded edges and awning battens

Optimised awning feeder, all side panels in silver with chrome piping (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal) or in white with chrome piping (Diamant). Fasten the decorative trim end pieces without visible screws

Double-glazed, tinted hinged windows with single-handed operation and combined fly protection/darkening roller blind

Separate hanging rails and separate awning rails above the windows, awning feeder independent of the window, zinc die-cast strip ends

Front part partly in LFI technology

Optimal insulation, improved hail protection, 100% UV-resistant, consumer-friendly repair solution for scratches, low maintenance

Optimised drawbar

Completely self-supporting bottle case bottom which increases the free drawbar's length, dynamic load of drawbar vibrations is not introduced via the bottle crate in the structure

AKS anti-roll clutch

Compensates for emerging rolling and pitching motions

Insulated service flap / external flap with rain protection lip and locking system

Conveniently located and easily accessible

5-hole aluminum rims

Anthracite (Opal, Tendenza) or black polish (Diamant)

High-quality brand tires

Supports optimal handling even at full load

AAA brakes

Self-adjusting, with excellent braking effect

Entrance door with integrated and insulated entrance (lowered)

With tinted and arched windows, as well as fitted blackout pleated blind, security lock, waste bin and storage (depending on model), single-key system for all locks (resistant metal lock), ample entry and exit (both in width and in height), reinforced door frame in the entrance area, entrance carpet



Waste water tank in the gas box

Easy to use and tidy up

Aluminum chequer plate floor in gas box

Sturdy and durable

Bottle case lid with parallelogram guide and gas pressure spring

Fully hinged upwards, stable gas cylinder box lock



Steadies

The practical solution for a secure positioning without oscillations

Extended rear cranksets

Easier to use



MIDI-HEKI operated by crank

Easy handling

Skylight panoramic roof hood with LED lighting (Diamant)

MIDI-HEKI integrated in the panoramic roof hood

Hard rubber high-quality support wheel


Easy control of the vertical bearing load by means of the load indicator

White AKS cover hood
White drawbar cover

FIRST IMPRESSIONS COUNT

THE FENDT CARAVAN LOOK AND FEEL
Many special details ensure a harmonious ensemble

05



Upholstery
High-quality moulded upholstery with high density and elasticity, long-lasting comfortable and relaxing seating, ergonomic and comfortable back padding

Fabrics
High-quality fabrics made of flat weaves with very high resistance to abrasion, low maintenance and robust, available in many colours and patterns

Winter backrests
Increased ventilation during winter thanks to additional wall aerators, prevents freezing on cold windows

Bench partition
Improved loading, good absorption of large luggage sizes



Bench drop end plate
Easily accessible for convenient loading and unloading (depending on model)

Air recirculation system with vent
Optimal air circulation, prevents moisture build-up

Single-column table fully adjustable in height
Easier access to the round seating space, optimal use of the longitudinal bench, more legroom in the seating space, modern appearance (depending on model)

Corner ventilation
Perfect indoor climate, counteracts the build-up of condensation without inconvenient drafts



Spring interior seat cushion
(Diamant)
Made of comfortable quality



Power outlets
Optimal position, easy to reach



Screen door
Silent and extendable, can be retracted without losing space in the door frame (depending on model)

Smoke detector
High-quality design, optimal position, warns of fire risk at an early stage

PVC flooring
Practical, durable and low maintenance



Hinged window with single-handed operation
and combined fly screen / blackout blind, double-glazed and tinted



LED lighting
Energy-saving LED technology, arranged for harmonious and atmospheric lighting effects






Spring core mattress
(Saphir, Bianco Selection, Bianco Activ)
Strengthened 5-level Bonell spring interior with elastic moulded upholstery and comfortable climate control fleece on both sides



7-level comfort foam mattress (Tendenza, Opal)
With excellent reclining capacity thanks to the comfortable shoulder zone, lumbar support and a special ventilation system



7-level breathable climate control foam mattress (Diamant)
Excellent elasticity and breathability, special lumbar support and body temperature management with quilted elastic fibre with climate control

Slatted bed base
With a permanently elastic joint bridge and hardness adjustment, narrow slat spacing



Slatted bed base extraction
As an optional extra to maximise the bed surface via easy handling and fast conversion

Liftomat
Gas pressure spring and a stable mechanism with hold function facilitate handling when opening and closing the bed frame




Hinged window
Well cooled in the summer, comfortably warm in the winter thanks to the double-glazed, tinted and insulated windows

Storage boxes with rear ventilation
and robust, high-quality hinges with a strong tilting and locking force, generous storage space which also ensures good climate control



Winter back rest
Protects against cold conditions in winter, prevents condensation build-up, excellent circulation of warm air for optimum indoor climate



LED reading spot lights
Partially swivelling, individual switches, ensure precise, flicker-free brightness

Power outlets
Easily accessible, conveniently located

Forced ventilation
For perfect air circulation, prevents sweat and build-up of condensation, avoids cold spots

SLEEPING AREA

ALL ABOUT YOUR SLEEP
Standard equipment for a relaxing holiday



„Sky“ TV mount
TV wall mount, lockable, with twist and swivel option to comfortably watch TV in various positions



Bed levelling
The slatted bed base extraction combines two single beds and makes them into a generous double bed, thus providing additional bed surface



Heating combination 4 E or 6 E
Warm air flows silently through four air outlets into the vehicle and is evenly distributed, providing a perfect feel-good indoor climate. Design includes integrated electric heating elements, also works with empty water tank, drain valve FrostControl installed, simple operation via digital control panel (CP Plus) and iNet installation, or via the Truma App thanks to standard installation of the iNet Box, boost function for quick hot water supply and room heating



Bicycle rack for drawbar (Thule)
Foldable, suitable for 2 bicycles or 2 e-bikes, loads up to 60 kg, equipped with a comfort locking device and a bicycle mount lock intended for theft protection



Wheel clamp
Simple and effective, this anti-theft device protects the caravan from unauthorised access. This immobiliser is quick and easy to install



Self-sufficient packages
This way, the caravan can function away from a campsite during short time periods

Different versions with batteries of 55 Ah or 75 Ah are available, including a charge booster for charging while driving



Air conditioning system
The outlets can be adjusted many times via the individual setups, so that the cool air flows where it is needed, excellent cooling and fast dehumidification, easy control via CP Plus or via the Truma App (iNet box available as standard equipment)



City water connection
With pressure reduction and 45-litre fresh water tank, for direct connection to the public water network



External gas outlet
Enables the connection of external gas-based appliances, such as gas grills or gas lamps



Universal awning outlet
For electrical supply outside the caravan (230 V / 12 V and TV connection)

INDIVIDUAL SOLUTIONS FOR EVERY STAGE OF FAMILY LIFE

With its variety of models that meet all requirements for space, it should be easy to find the right floor plan to fit your needs. The Saphir is our all-rounder, an easy entry point for every camper into the Fendt Caravan class. A new, resistant fabric design, as well as another, new small children's room floor plan complete the offer in this popular model range.



SAPHIR



SAPHIR

465 TG / Aosta



SAPHIR

465 SFB / Cremona



465 SFB

SERIES

Living room/bedroom

Furniture in "Chestnut-Moretti" • "Aosta"(Page 14/15) or "Cremona" (page 16/17) upholstery version • Lighting LED • Ceiling light (LED/12 V) with 2 switching circuits • Single-column lift table in the seating group * • Folding sliding door • Indirect lighting (LED) • Slatted frames with fully flexible and permanently elastic articulated bridges and hardness adjustment (Single and king-size beds) • Liftomat (single and king-size beds) • Mattresses: spring core (Single and king-size beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Ergonomic back padding • Reading spots (12 V) in U-shaped seating group * • Seat cushion with high volume weight • Storage compartments ventilated and with indirect ceiling lighting (LED) • Carpet in the doorway with Fendt caravan lettering • Winter backrests

* depending on model



SAPHIR

465 SFB



465 SFB

SERIES

Kitchen/bathroom

Waste bin integrated in entrance door • Workstation lighting (LED) • Oven with grill (gas) * • Bathroom lighting (LED/12 V) • Cutlery inserts with soft-touch surface • Shower cubicle * • Towel rail/ clothes hook and toilet paper holder • Cooker with ignition protection, automatic ignition (3-burner) * • Cooker-rinsing combination with ignition protection, automatic ignition, split cast iron grid and split glass cover (3-burner) * • Comfort pleated fabric roller blind on kitchen window • Kitchens on (super-) slim tower unit with large sliding shutters * • Kitchen pull-out with wire basket * • Refrigerator front in stainless steel look • Refrigerator (105 l) with removable freezer compartment and interior lighting * • Slim tower refrigerator (133 l), can be opened from both sides, with removable freezer compartment and interior lighting * • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting * • Kitchen mixer tap made out of brass* • Central washrooms * with large wall units, generous shelves under the washbasin and illuminated mirror • Mirror cabinet in the bathroom * • Stainless steel sink with glass cover • Flush toilet with diode level indicator and waste-holding tank (can be rolled) * • Storage boxes in the kitchen and bathroom with soft-close hinges • Washroom door handle in bi-colour chrome • White washbasin with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

* depending on model



465 TG

19



SAPHIR

650 SKM

SERIES

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10^d/25^e litres) with external filling * • Fresh water (fixed tank 10^d/45^e litres) with external filling * • Fresh water level indicator • Warm water heating Truma-Therme 230 V with mixer tap *

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

S 3004 Gas heater with automatic ignition (Truma) * • S 5004 Gas heater with automatic ignition (Truma) * • iNet Box (Truma) • Smoke detector • Switch at the entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spot light(s) (LED/12 V) • Sockets 230 V • Warm air system with fan (1 x 12 V) * • Warm air system with fan (2 x 12 V) * • Warm water heating and warm water floor heating (Alde) **

* depending on model ** 700 SFDW and 700 SGDW Explanation of symbols see Page 83

SAPHIR DETAILS

- Saphir offers versions with central seating, this model range also offers the most options in terms of seating arrangements
- Bunk bed options, attractive for families, are also available in this model range. The small children's room floor plan 495 SKM is the novelty
- Warm water heating and warm water underfloor heating (Alde) is available for the Saphir in the 700 SFDW and 700 SGDW floor plans.
- All gas heaters are now equipped with a practical automatic ignition system
- The warm Chestnut-Moretti furniture perfectly matches the new version of the Aosta fabric (see pages 14-15) and the well-established Cremona fabric (see pages 16-17)



495 SKM

21



445 TFB		
Overall length	cm	679
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1226



465 SFB		
Overall length	cm	705
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1279



465 TG		
Overall length	cm	705
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1276



495 SFB		
Overall length	cm	724
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1358



New layout 495 SKM		
Overall length	cm	724
Total width	cm	232
Sleeping places		5
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1349




515 SG		
Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1414




560 SKM		
Overall length	cm	774
Total width	cm	250
Sleeping places		5
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1496




650 SKM		
Overall length	cm	864
Total width	cm	250
Sleeping places		6
Technically permitted Total mass	kg	2000 ^{g)}
Mass when ready for the road	kg ^{c)}	1777




700 SFD		
Overall length	cm	905
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2000 ^{g)}
Mass when ready for the road	kg ^{c)}	1803



700 SFDW		
Overall length	cm	905
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2200 ^{g)}
Mass when ready for the road	kg ^{c)}	1862



700 SGD		
Overall length	cm	905
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2000 ^{g)}
Mass when ready for the road	kg ^{c)}	1787



700 SGDW		
Overall length	cm	905
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2200 ^{g)}
Mass when ready for the road	kg ^{c)}	1823

Dimensions and weights of all model ranges and models from Page 80
Explanation of symbols Page 83

Scan QR code –
and call up a film about the Saphir



THE IDEAL COMPANIONS FOR EVERY CARAVAN ACTIVITY

Those who enjoy travelling frequently with their caravan will surely appreciate these compact models. The Bianco models perfectly combines high-quality comfort with sportiness and outdoor activities. The durable equipment is complemented by another fabric option, which is both friendly and robust. Two new floor plans underpin the diversity of the series with the most models.





BIANCO

SELECTION

435 SF / Korfu



BIANCO

SELECTION

515 SG / Zingaro

SERIES

BIANCO SELECTION and BIANCO ACTIV

Living room/bedroom

Furniture in "Nabucco cherry finish" • "Korfu" (Page 26/27) or "Zingaro" (page 28/29) upholstery version • Lighting LED • Ceiling light (LED/12 V) with 2 switching circuits • Single-column lift table in the U-shaped seating group * • Folding sliding door * • Indirect lighting (LED) • Slatted frames with fully flexible and permanently elastic articulated bridges and hardness adjustment (single and king-sized beds) • Liftomat (single and king-sized beds) • Mattresses: spring core (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Ergonomic back padding • Reading spots (12 V) in U-shaped seating group * • Seat upholstery with high volume weight • Ventilated storage compartments with indirect ceiling lighting (LED) • Carpet in the doorway with Fendt caravan lettering • Winter backrests

* depending on model



435 SF

29



BIANCO SELECTION 435 SF



435 SF



390 FH

SERIES

BIANCO SELECTION and BIANCO ACTIV

Kitchen/bathroom

Waste bin integrated into entrance door * • Workplace lighting (LED) • Bathroom lighting (LED/12 V) • Cutlery inserts with soft-touch surface • Shower cabin ** • Towel rail/clothes hook and toilet paper holder * • Cooker with ignition protection, automatic ignition (3-burner) * • Cooker-rinsing combination with ignition lock, automatic ignition, divided cast iron grate and divided glass cover (3-flame) * • Comfortable pleated fabric roller blind on kitchen window * • Kitchens on (super-) slim tower unit with large sliding shutters * • Kitchen pull-out with wire basket * • Refrigerator front in stainless steel look • Refrigerator (105 l) with removable freezer compartment and interior lighting * • Slim tower refrigerator (133 l), can be opened from both sides, with removable freezer compartment and interior lighting * • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting * • Light strip in the profile strips of the kitchen storage compartments • Kitchen mixer tap made of brass * • Central washrooms * with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom * • Stainless steel sink with glass cover * • Flush toilet with diode level indicator and waste-holding tank (can be rolled) * • Storage boxes in the kitchen and bathroom with soft-close hinges • Washroom door handle, bi-colour chrome • Washbasin in white with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

* depending on model ** Bianco Activ 515 SD



BIANCO SELECTION 515 SKM

SERIES
BIANCO SELECTION and BIANCO ACTIV

Water
Mobile waste water tank (24 l) • Fresh water (fixed tank 10^o/25^e litres) with external filling • Fresh water level indicator • Truma-Therme 230 V water heater with mixer tap *

Multimedia
TV cable routing (230 V socket)

Technology/heating/air conditioning
S 3004 and S 5004 Truma gas heater with automatic ignition (Bianco Selection) * • Combi 4 Truma gas heater (Bianco Activ, see page 35) • iNet Box (Truma) • Smoke detector • Switch on entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spotlight(s) (LED/12 V) • Sockets 230 V • Warm air system with fan (1 x 12 V) *

* depending on model For explanation of symbols, see Page 83

- BIANCO SELECTION DETAILS**
- The Bianco Selection offers two children's room floor plans and many more floor plans for compact travel caravans
 - This model range combines maximum mobility with the usual Fendt Caravan comfort
 - The solutions offered in terms of kitchen and bathroom equipment are also perfectly tailored to fit the needs of the enthusiastic camper: the cabinets in the washroom and kitchen are fitted with soft-close hinges
 - All gas heaters are operated with a practical automatic ignition system
 - The bright Nabucco cherry furniture decoration creates a very harmonious effect with the Korfu fabric option (see pages 26-27) and the new Zingaro fabric (see pages 28-29)



390 FH Korfu



BIANCO ACTIV 515 SD / Zingaro



550 KMG

ADDITIONAL SERIES EQUIPMENT BIANCO ACTIV

- Combi 4 gas heater with CP Plus with circulating air distribution and integrated water boiler (10 l/Truma), iNet ready and iNet Box for controlling the heating via Smartphone app (Truma)
 - 4000 W nominal heating performance
 - Low power consumption
 - With FrostControl as standard for the series
 - Optimum warm air distribution through four warm air outlets
 - Short heating time of the water and long showering pleasure
 - Durable stainless steel water tank
 - Boost function for fast warm water supply and room heating
 - All functions programmable with timer
- Side seat as chest (can carry 100 kg max.) *
- Transverse loading function (with separate beds) *
- External storage flaps on both sides *
- Increased loading capacity due to reinforced chassis
- Wardrobe with lighting (motion sensor)

* depending on model


For explanation of symbols, see Page 83



BIANCO ACTIV 390 FHS



515 SD



390 FHS



465 SGE

BIANCO ACTIV DETAILS

- Ambitious, frequent travellers will find exceptional layout solutions in the Bianco Activ – such as the Model 495 SFE, with a transverse kitchen that is particularly suitable for compact layouts
- Two new floor plans complete the offer for those that are particularly active: 390 FHS and 515 SD
- This is the benchmark for Fendt travel caravans and has many practical extras (see p. 35)
- The iNet Box used to control heating via the Truma App is another special feature of the Bianco Activ
- The Bianco Activ is available with the Nabucco Cherry furniture decoration and the Korfu fabric option (see page 33) or the new Zingaro fabric (see page 34/35)



390 FH		
Overall length	cm	605
Total width	cm	232
Sleeping places		3
Technically permitted Total mass	kg	1300 ^{g)}
Mass when ready for the road	kg ^{c)}	1094



435 SF		
Overall length	cm	654
Total width	cm	232
Sleeping places		3
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1214



New layout 390 FHS		
Overall length	cm	605
Total width	cm	232
Sleeping places		3
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1143



445 SF		
Overall length	cm	679
Total width	cm	232
Sleeping places		2
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1265



465 SFB		
Overall length	cm	705
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1279



465 TG		
Overall length	cm	705
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1286



465 SGE		
Overall length	cm	705
Total width	cm	232
Sleeping places		2
Technically permitted Total mass	kg	1600/1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1351



495 SFE		
Overall length	cm	724
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1329



515 SG		
Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1404



515 SKM		
Overall length	cm	753
Total width	cm	232
Sleeping places		5
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1358



New layout 515 SD		
Overall length	cm	753
Total width	cm	232
Sleeping places		3
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1421



515 SGE		
Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1418



550 SKM		
Overall length	cm	774
Total width	cm	232
Sleeping places		5
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1416



550 KMG		
Overall length	cm	774
Total width	cm	232
Sleeping places		5
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1449

Dimensions and weights of all model ranges and models from Page 80
Explanation of symbols Page 83



Scan QR code – and call up
a film about the Bianco

EMBLEM OF MODERN CLASS

Thanks to the progressive interpretation of the interior design and practical functionality, the Tendenza displays harmonious solutions that make everyday life in the caravan a sheer joy. The new season introduces two new fabric options which slickly emphasise the special character of this model range.



TENDENZA



TENDENZA

650 SFD / Campania



TENDENZA

515 SG / Studio-Line Veneto



515 SG

SERIES

Living room/bedroom

Furniture in "Chesterfield Oak Decor" • "Campania" (Pages 42/43) or Studio Line "Veneto" (Pages 44/45) upholstery version • Wardrobe lighting with motion sensor • Lighting LED • Ceiling lamp (LED/12 V) with 2 switching circuits, can be dimmed • Decorative package (2 cushions/ 1 table runner) • Single-column lift table in the U-shaped seating group • Folding sliding door • Fly screen door in the entrance area • Indirect lighting (LED) • Slatted frames with fully flexible and permanently elastic articulated bridges as well as hardness adjustment (single and king-sized beds) * • Reading spots (12 V) • Light strip in the profile strips of the storage compartments • Liftomat (single and king-sized beds) • Mattresses: comfort foam (7 zones) (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Upholstered back cushion • Seat upholstery with high volume weight • Ventilated storage compartments with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests

* depending on model



TENDENZA

495 SFR



515 SG



495 SFR

SERIES

Kitchen/bathroom

Waste bin integrated into entrance door • Workstation lighting (LED) • Oven integrated with grill (gas) ** • Bathroom lighting (LED/12V) • Cutlery inserts with soft-touch surface • Shower cabin **** • Towel rail/clothes hook and toilet paper holder • Cooker with ignition protection, automatic ignition (3-burner) ** • Cooker-rinsing combination with ignition lock, automatic ignition, split cast iron grate and split glass cover (3-burner) * • Comfort pleated fabric roller blind on kitchen window • Kitchens with (super-) slim tower unit with large sliding shutters • Kitchen pull-out with wire basket * • Back-lit kitchen back panel in glass look * • Refrigerator front in stainless steel look • Slim tower refrigerator (133 l), can be opened from both sides, with removable freezer compartment and interior lighting * • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting * • Kitchen mixer tap made out of brass * • Central washrooms * with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom * • Stainless steel sink with glass cover ** • Flush toilet with diode level indicator and waste-holding tank (can be rolled) * • Washbasin door handle in bi-colour chrome * • Washbasin in mineral material with shelves, bathroom cupboard and illuminated mirror * • Washbasin in stainless steel **** with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

* depending on model ** for 515 SF, 650 SFD, 650 SFDW

**** for 650 SFD, 650 SFDW



650 SFD

47



TENDENZA

650 SFD



SERIES

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10^d/25^e) litres) with external filling * • Fresh water (fixed tank 10^d/45^e) litres) with external filling **** • Fresh water level indicator

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

Combi 4 / Combi 6 (650 SFD) gas heater with CP Plus and iNet ready with circulating air distribution and integrated water boiler (10 l/Truma) * • iNet box for controlling the heating via Smartphone app (Truma) • Smoke detector • Switch on the entrance door for ceiling light • 350 W switching power supply • Fuse box (230 V) with residual current device (personal protection switch) • Spotlight(s) (LED/12 V) • Sockets 230 V • TFT touch screen (central) in glass look (CI-BUS on-board management) • Hot water heating and hot water underfloor heating (Alde) ***

* depending on model *** for 650 SFDW **** for 650 SFD, 650 SFDW
For explanation of symbols, see Page 83

TENDENZA DETAILS

- This series is the only one that offers two floor plans with a queen-size bed (650 SFD and 650 SFDW)
- An exceptional equipment detail is available for the Tendenza 650 SFDW: it is equipped with a hot water heater and hot water underfloor heating (Alde)
- The Tendenza also offers a state-of-the-art Combi 4 or Combi 6 Truma gas heater (650 SFD) with an installed CP Plus iNet and an iNet box for heating control via the Truma app, as well as a TFT glass-like touch panel (CI BUS on-board management) on
- The range offers kitchen layouts with an oven (515 SF, 650 SFD and 650 SFDW)
- The Chesterfield oak furniture decoration is available with two new modern fabric options, Campania (see pages 42-43) and Studio Line Veneto (see pages 44-45)





465 SFB

Overall length	cm	705
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{e)}	1343



495 SFR

Overall length	cm	724
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{e)}	1363



515 SF

Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{e)}	1433



Scan QR code –
and call up
a film about the
Tendenza



515 SG

Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{e)}	1460



650 SFD

Overall length	cm	864
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2000 ^{g)}
Mass when ready for the road	kg ^{e)}	1718



650 SFDW

Overall length	cm	864
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2200 ^{g)}
Mass when ready for the road	kg ^{e)}	1766

THE FULLY REDESIGNED LUXURY CLASS

New furniture design, new wood and new fabrics – combined with the typical Fendt quality concept – result in the latest definition of the contemporary luxury class offered by Fendt Caravan. Two new floor plans are available this season for the Opal, including – for the first time – a children's room floor plan.

OPAL

53



OPAL

560 SG / Murcia

55



OPAL

465 SFH / Ponza

SERIES

Living room/bedroom

Furniture in "Chestnut Cilento Decor" • "Murcia" (Pages 54/55) or "Ponza" upholstery version (Pages 56/57) • Lighting in the wardrobe with motion sensor lighting • Ceiling light (LED/12 V) with 2 switching circuits • Deco package (2 cushions/1 table runner) • Single-column lifting table in the U-shaped seating group • • Folding sliding door • • Fly protection door in entrance area • Wooden sliding door • • Indirect lighting (LED) • indirect lighting above the roof storage boxes • Slatted frames with fully flexible and permanently elastic articulated bridges and hardness adjustment (single and king-sized beds) • Reading spots (12 V) in a round seating arrangement • Liftomat (single and king-sized beds) • • Mattresses: comfort foam (7 zones) (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout pleating and fly screen roller blind • PVC floor covering, hard-wearing, easy-care • Ergonomic back padding • Reading spots (12 V) in the bedroom • Seat upholstery with high volume weight • Storage compartments ventilated and with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests

* depending on model



465 SFH

57



OPAL

560 SG



650 SRG



465 SFH

SERIES

Kitchen/bathroom

Waste bin integrated into the entrance door • Workstation lighting (LED) • Bathroom lighting (LED/12V) • Cutlery inserts with soft-touch surface • Towel rails/clothes hooks and toilet paper holders • Cooker-rinsing combination with ignition safety device, automatic ignition, split cast iron grate and split glass cover (3-burner) • Comfort pleated fabric roller blind on kitchen window • Kitchens with large sliding panels • Kitchen pull-out with wire basket • Refrigerator front in magnolia look • Slim tower refrigerator (133 l), can be opened from both sides, with removable freezer compartment and interior lighting * • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting * • Kitchen mixer tap made out of brass • Central washrooms * with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom * • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • Washroom door handle in bi-colour chrome • Washbasin of mineral material with shelves, bathroom cabinet and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

* depending on model

59



OPAL

650 SRG

SERIES

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10^d/25^e litres) with external filling * • Fresh water (fixed tank 10^d/45^e litres) with external filling * • Fresh water level indicator

Multimedia

TV cable routing (230 V socket)

Technology/heating/air conditioning

Combi 4 gas heater with CP Plus, iNet ready and iNet Box (Truma) (465, 495 and 515) / Combi 6 (from 550) with CP Plus and iNet ready with circulating air distribution and integrated water boiler (10 l/Truma) • iNet Box for heating control via Smartphone App • Smoke detector • Switch on the entrance door for ceiling light and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spot light(s) (LED/12 V) • Sockets 230 V

* depending on model

For an explanation of symbols, see Page 83

OPAL DETAILS

- The interior of the Opal has been completely revisited. The successful combination of materials and design renders it the most up-to-date interpretation of the luxury class offered by Fendt Caravan
- A variety of floor plans – including the two completely new 465 SFH and 515 SKF floor plans – offer several solutions in terms of space for the kitchen, seating, bathroom and bedroom arrangements. The 515 SKF introduces the first children's room floor plan to this model range
- Furthermore, special features include two L-shaped kitchen variants (560 SRF and 650 SRG)
- This model range is equipped with Combi 4 (465, 495 and 515) or Combi 6 (550 and above) gas heaters – each with a digital CP Plus iNet control unit with an air circulation system, an integrated 10-litre hot water boiler and an iNet box for heating control via the Truma app
- The new Chestnut Cilento furniture design with the two new fabric options, Murcia (see pages 54-55) and Ponza (see pages 56-57), underlines its modern appearance



560 SG

61



New layout

465 SFH

Overall length	cm	705
Total width	cm	232
Sleeping places		3
Technically permitted Total mass	kg	1500 ^{g)}
Mass when ready for the road	kg ^{c)}	1306



515 SG

Overall length	cm	753
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1600 / 1700 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1435



New layout

515 SKF

Overall length	cm	753
Total width	cm	232
Sleeping places		5
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1448



550 SG

Overall length	cm	774
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1700 ^{g)}
Mass when ready for the road	kg ^{c)}	1446



560 SG

Overall length	cm	774
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	1700 / 1800 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1488



560 SRF

Overall length	cm	774
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	1700 / 1800 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1513



650 SRG

Overall length	cm	864
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2000 ^{g)}
Mass when ready for the road	kg ^{c)}	1798



Scan QR code – and
call up a film about
the Opal

SETS THE STANDARDS IN THE HIGH-END LUXURY CLASS

For more than four decades, any model that aspired to enter this class had to orient itself towards these exclusive features. It impresses with its classic elegance, which will continue to impress you for many years to come. In order for everyone who finds this timeless icon as desirable as we do to be able to follow their individual sleeping habits, there is now also a new layout with a French bed.

DIAMANT

65



DIAMANT

560 SF / Sierra



DIAMANT 550 SG / Tropea



650 SG

SERIES
Living room/bedroom

Furniture in "Tasmanian Oak Decor" • "Sierra" (Pages 66/67) or "Tropea" (Pages 68/69) upholstery version, as well as "Sevilla" leather upholstery (special equipment Pages 74) • Lighting in the wardrobe with motion sensor • LED lighting • Deco package (2 cushions/1 table runner) • Single-column lift table in the U-shaped seating group • Fly screen door in the entrance area • Wooden sliding door • Indirect lighting (LED) • Headrests in seating group, height-adjustable • Slatted frames with fully flexible and permanently elastic articulated bridges, as well as hardness adjustment (single and king-sized beds) • Reading spots (12 V) • Light strip in the profile strips of the storage compartments • Liftomat (single and king-sized beds) • Mattresses: air conditioning comfort foam (7 zones) (single and king-sized beds) • MIDI roof hood (Dometic) with crank, forced ventilation, integrated blackout in pleated fabric and fly screen roller blind integrated in Skylight panoramic roof hood • Skylight panoramic roof hood with lighting (LED) • PVC floor covering, hard-wearing, easy-care • Ergonomic back padding • Seat upholstery with spring core (comfort quality) • Seat upholstery with high volume weight • Soft roller blinds with pleated fabric (blackout blind from below) • Ventilated storage compartments with indirect ceiling lighting (LED) • Storage compartments with soft-close hinges • Carpet in the doorway with Fendt caravan lettering • Carpeted floor, looped and loosely laid • Winter backrests • Living room wall unit with fireplace covering **

** with 650 SG




DIAMANT

550 SG



550 SG



550 SG

SERIES Kitchen/bathroom

Waste bin integrated into entrance door • Workstation lighting (LED) • Oven with grill (gas) • Bathroom lighting (LED/12 V) • Towel rail/clothes hook and toilet paper holder • Cutlery inserts with soft-touch surface • Cooker with ignition protection, automatic ignition (3-burner) • Comfort pleated fabric roller blind on kitchen window • Kitchens on (super-) slim tower with large sliding panels • Kitchen pull-out with wire basket * • Kitchen rear wall cladding backlit in glass look • Refrigerator front in stainless steel look • Refrigerator (150 l) super-slim tower unit with removable freezer compartment and interior lighting • Central washrooms * with large wall units, generous shelves under washbasin and illuminated mirror • Mirror cabinet in the bathroom * • Stainless steel sink with glass cover • Flush toilet with diode level indicator and waste-holding tank (can be rolled) • Storage boxes in the kitchen and bathroom with soft-close hinges • Washroom door handle in bi-colour chrome • Washbasin in mineral material with shelves, bathroom cupboard and illuminated mirror • Washroom window, hinged, made of frosted glass with blackout and fly screen roller blind

* depending on model



DIAMANT

560 SF



550 SG



550 SG



650 SG

SERIES

Water

Mobile waste water tank (24 l) • Fresh water (fixed tank 10^{dl}/25^{el} litres) with external filling * • Fresh water (fixed tank 10^{dl}/45^{el} litres) with external filling * • Fresh water level indicato

Multimedia

SKY TV holder with articulated arm • TV cable routing (230 V socket)

Technology/heating/air conditioning

Electrical floor temperature control (in tempered area) • Combi 6 gas heater with CP Plus and iNet ready with circulating air distribution and integrated water boiler (Truma) • iNet Box for controlling the heating via Smartphone App (Truma) • Smoke detector • Switch at the entrance door for ceiling and awning light • Switching power supply 350 W • Fuse box (230 V) with residual current device (personal protection circuit breaker) • Spotlight(s) (LED/12 V) • 230 V sockets • TFT touch screen (central) in glass look (CI-BUS on-board management)

* depending on model
For an explanation of symbols, see Page 83

DIAMANT DETAILS

- The ever-popular Diamant is the benchmark of the high-end luxury class. The well-known quality stems from the first-class mixture of materials and the skilful design
- The 560 SF floor plan with a double bed is a novelty in the Diamant programme
- The panoramic Skylightroof roof hood with lighting (LED) above the round seating arrangement, spring interior seating upholstery and the backlit corner shelves are all special features
- The upscale features of the Diamant are also reflected in the Combi 6 gas heater. The installed CP Plus iNet includes an iNet box for heating control via the Truma app and a TFT glass-like touch panel (CI BUS on-board management)
- The Tasmanian Oak furniture design is offered in a choice of three fabric options: the Sierra (see pages 66-67) and Tropea fabrics (see pages 68-69), as well as the special Sevilla leather upholstery (see page 74)



DIAMANT

650 SG / Sevilla / optional extra

Dimensions and weights of all model ranges
and models from Page 80
Explanation of symbols Page 83



550 SG		
Overall length	cm	774
Total width	cm	232
Sleeping places		4
Technically permitted Total mass	kg	1800 ^{g)}
Mass when ready for the road	kg ^{c)}	1540

New layout		
560 SF		
Overall length	cm	774
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	1900 / 2000 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1575

560 SG		
Overall length	cm	774
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	1900 / 2000 ^{h) g)}
Mass when ready for the road	kg ^{c)}	1611

650 SG		
Overall length	cm	864
Total width	cm	250
Sleeping places		4
Technically permitted Total mass	kg	2200 ^{g)}
Mass when ready for the road	kg ^{c)}	1862

Scan QR code – and
call up a film about
the Diamant



SERIES OUTSIDE

Chassis

White overrun device cover	●	●	●	●	●
Anthracite alloy rims			●	●	
Black polished alloy rims					●
Brake AAA, self-adjusting (Al-Ko)	●	●	●	●	●
White tow bar cover	●	●	●	●	●
Euro axle system (Al-Ko)	●	●	●	●	●
Low profile tyres	●	●	●	●	●
Automatic reversing system	●	●	●	●	●
Safety coupling AKS 3004 (Al-Ko)	●	●	●	●	●
Stabilform corner steadies galvanised	●	●	●	●	
Stabilform corner steadies galvanised with "Big Foot" (Al-Ko)					●
Shock absorbers	●	●	●	●	●
Support wheel with load display	●	●	●	●	●
System lightweight chassis, fully galvanised (Al-Ko)	●	●	●	●	●
Extended crank support	●	●	●	●	●
Approval for tempo 100	●	●	●	●	●

Outside bodywork

3rd integrated brake light	●	●	●	●	●
Exterior storage flap	●	●	●	●	●
Hinged window, double-glazed, tinted with one-handed operation and combined fly screen/darkening roller blind	●	●	●	●	●
Floors, coated with glass-fibre reinforced plastic					●
Front part partly with long fibre injection-moulded technology	●	●	●	●	●
Entrance door with integrated and insulated access, waste bin and shelf, tinted window in the upper entrance door area and pleated shade fabric	●	●*	●	●	●
Bottle crate cover with gas pressure shock absorber and three-point locking system	●	●	●	●	●
Fly protection door in the entrance area			●	●	●
Awning strip with lighting on the door side					●
Rear fog lights (2 pieces)	●	●	●	●	●
"Skylight" panoramic roof hood with interior lighting (LED)					●
Wheel housings, fully insulated	●	●	●	●	●
Manoeuvring handles	●	●	●	●	●
Reversing lights (2 pieces)	●	●	●	●	●
Sandwich construction	●	●	●	●	●
Awning light (LED)	●	●	●	●	●
Water tank filler cap with retaining strap	●	●	●	●	●
Central locking system	●	●	●	●	●
Forced venting according to EN-Norm 1645-1	●	●	●	●	●

● standard to the series


* depending on model




1



2



3



4

COMFORTABLE EQUIPMENT FOR A RELAXED AMBIENCE

The Fendt Caravan beds

- (1) Children's or bunk bed lengthwise or crosswise (Saphir, Bianco Selection, Bianco Activ, Opal; each depending on model)
- (2) Children's or bunk bed lengthwise or crosswise (Saphir, Bianco Selection, Bianco Activ, Opal; each depending on model)
- (3) King-sized bed (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal, Diamant; each depending on model)
- (4) Single beds (Saphir, Bianco Selection, Bianco Activ, Tendenza, Opal, Diamant; each depending on model)

CHOICE OF BEDS

Layouts with children's bed or bunk bed (Photographs 1 + 2)



Saphir 495 SKM



Opal 515 SKF



Bianco 515 SKM Selection



Bianco 550 SKM Selection



Bianco 550 KMG Activ



Saphir 560 SKM



Saphir 650 SKM

Layouts with king-sized bed (Photograph 3)



Bianco 390 FH Selection



Bianco 390 FHS Activ



Bianco 435 SF Selection



Bianco 445 SF Activ



Saphir 445 TFB



Saphir 465 SFB



Bianco 465 SFB Selection



Tendenza 465 SFB



Opal 465 SFH



Saphir 495 SFB



Bianco 495 SFE Activ



Tendenza 495 SFR



Tendenza 515 SF



Bianco 515 SD Activ



Diamant 560 SF



Opal 560 SRF



Tendenza 650 SFD



Tendenza 650 SFDW



Saphir 700 SFD



Saphir 700 SFDW

Layouts with single beds (Photograph 4)



Bianco 465 SGE Activ



Saphir 465 TG



Bianco 465 TG Selection



Saphir 515 SG



Bianco 515 SG Selection



Tendenza 515 SG



Opal 515 SG



Bianco 515 SGE Activ



Opal 550 SG



Diamant 550 SG



Opal 560 SG



Diamant 560 SG



Diamant 650 SG



Opal 650 SRG



Saphir 700 SGD



Saphir 700 SGDW

SAPHIR

		445 TFB	465 SFB	465 TG	495 SFB	495 SKM	515 SG
Overall length	cm	679	705	705	724	724	753
Structural length	cm	567	594	594	612	612	642
Useful length	cm	475	500	507	520	527	556
Overall width	cm	232	232	232	232	232	232
Max. height	cm	263	263	263	263	263	263
Headroom	cm	195	195	195	195	195	195
Sleeping places		4	4	4	4	5	4
Nose bed surface	cm	140 x 200	140 x 200	2 x 85 x 200	140 x 200	140 x 200	1x85x190/1x85x200
Rear bed surface	cm	133 x 210	142 x 210	127/116 x 210	158/133 x 210	80 x 210	142/135 x 210
Middle bed surface	cm	-	-	-	-	100 x 179	-
Bunk bed surface	cm	-	-	-	-	75 x 216	-
Technically permitted total mass	kg	1500 ^{a)}	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b)} ^{a)}	1600 / 1700 ^{b)} ^{a)}	1600 / 1700 ^{b)} ^{a)}
Own weight	kg ^{b)}	1178	1231	1228	1310	1301	1366
Basic equipment	kg ^{a)}	48	48	48	48	48	48
Mass when ready for the road	kg ^{c)}	1226	1279	1276	1358	1349	1414
Loading	kg ca.	274	221	224	242 / 342 ^{b)}	251 / 351 ^{b)}	186 / 286 ^{b)}
Floor/roof/wall thicknesses	mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres	ⁱ⁾	205/65 R 15	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
Single/tandem axle		1	1	1	1	1	1
Awning size	cm	934	960	960	976 ^{p)}	976 ^{p)}	1002 ⁿ⁾ ^{r)}

BIANCO SELECTION

		390 FH Selection	435 SF Selection	465 SFB Selection	465 TG Selection	515 SG Selection	515 SKM Selection
Overall length	cm	605	654	705	705	753	753
Structural length	cm	493	542	594	594	642	642
Useful length	cm	400	450	500	507	556	556
Overall width	cm	232	232	232	232	232	232
Max. height	cm	263	263	263	263	263	263
Headroom	cm	195	195	195	195	195	195
Sleeping places		3	3	4	4	4	5
Nose bed surface	cm	140 x 200	140 x 200	140 x 200	2 x 85 x 200	1x85x190/1x85x200	145 x 210
Rear bed surface	cm	106/97 x 186	135/90 x 190	142 x 210	127/116 x 210	142/135 x 210	80 x 210
Middle bed surface	cm	-	-	-	-	-	97 x 195
Bunk bed surface	cm	-	-	-	-	-	75 x 216
Technically permitted total mass	kg	1300 ^{a)}	1500 ^{a)}	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b)} ^{a)}	1600 / 1700 ^{b)} ^{a)}
Own weight	kg ^{b)}	1046	1166	1231	1238	1356	1310
Basic equipment	kg ^{a)}	48	48	48	48	48	48
Mass when ready for the road	kg ^{c)}	1094	1214	1279	1286	1404	1358
Loading	kg ca.	206	286	221	214	196 / 296 ^{b)}	242 / 342 ^{b)}
Floor/roof/wall thicknesses	mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
Tyres	ⁱ⁾	205/65 R 15	205/65 R 15	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C
Single/tandem axle		1	1	1	1	1	1
Awning size	cm	858 ⁱ⁾	903 ^{m)}	960	960	1002 ⁿ⁾ ^{r)}	1002 ⁿ⁾ ^{r)}

SAPHIR

560 SKM	650 SKM	700 SFD	700 SFDW	700 SGD	700 SGDW
774	864	905	905	905	905
662	752	793	793	793	793
569	659	700	700	700	700
250	250	250	250	250	250
263	262	262	262	262	262
195	195	195	195	195	195
5	6	4	4	4	4
140 x 200	150 x 200	165/147 x 230	165/147 x 230	165/147 x 230	165/147 x 230
80 x 190	142 x 106	-	-	2 x 90 x 200	2 x 90 x 200
112/118 x 200	112 x 200	150 x 200	150 x 200	-	-
80 x 190	80 x 190	-	-	-	-
1700 ^{a)}	2000 ^{a)}	2000 ^{a)}	2200 ^{a)}	2000 ^{a)}	2200 ^{a)}
1456	1729	1763	1819	1747	1780
40	48	40	43	40	43
1496	1777	1803	1862	1787	1823
204	223	197	338	213	377
47 / 39 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31	47 / 47 / 31
195/70 R 15 C	185 / 65 R 14	185 / 65 R 14	195 / 65 R 15	185 / 65 R 14	195 / 65 R 15
1	2	2	2	2	2
1026 ⁿ⁾ ^{r)}	1115 ^{u)}	1160 ^{t)} ^{v)}	1173 ^{v)}	1160 ^{t)} ^{v)}	1173 ^{v)}

BIANCO ACTIV

550 SKM Selection	390 FHS Activ	445 SF Activ	465 SGE Activ	495 SFE Activ	515 SD Activ	515 SGE Activ	550 KMG Activ
774	605	679	705	724	753	753	774
662	493	567	594	612	642	642	662
569	400	475	507	520	556	549	576
232	232	232	232	232	232	232	232
263	263	263	263	263	263	263	263
195	195	195	195	195	195	195	195
5	3	2	2	4	3	4	5
140 x 200	140 x 210	140 x 210	2 x 85 x 200	142/121 x 210	133/93 x 210	142/121 x 210	1x85x190/1x85x200
80 x 210	106/87 x 186	-	-	140 x 200	140 x 200	1x85x200/1x85x205	80 x 210
102 x 179	-	-	-	-	-	-	97 x 179
75 x 216	-	-	-	-	-	-	75 x 216
1600 / 1700 ^{b)} ^{a)}	1500 ^{a)}	1500 ^{a)}	1600 / 1700 ^{b)} ^{a)}	1700 ^{a)}	1700 ^{a)}	1700 ^{a)}	1700 ^{a)}
1368	1090	1212	1298	1276	1368	1365	1396
48	53	53	53	53	53	53	53
1416	1143	1265	1351	1329	1421	1418	1449
184 / 284 ^{b)}	357	235	249 / 349 ^{b)}	371	279	282	251
47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31
195/70 R 15 C	205/65 R 15	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C
1	1	1	1	1	1	1	1
1030	864	934	960	976 ^{p)}	1002 ⁿ⁾ ^{r)}	1002 ⁿ⁾ ^{r)}	1030

TENDENZA

		465 SFB	495 SFR	515 SF	515 SG	650 SFD	650 SFDW
Overall length	cm	705	724	753	753	864	864
Structural length	cm	594	612	642	642	752	752
Useful length	cm	500	520	549	556	659	659
Overall width	cm	232	232	232	232	250	250
Max. height	cm	263	263	263	263	262	262
Headroom	cm	195	195	195	195	195	195
Sleeping places		4	4	4	4	4	4
Nose bed surface	cm	140 x 200	142/121 x 210	160/139 x 210	1x85x190/1x85x200	163/151 x 230	163/151 x 230
Rear bed surface	cm	142 x 210	140 x 200	140 x 200	142/135 x 210	-	-
Middle bed surface	cm	-	-	-	-	190 x 150	190 x 150
Bunk bed surface	cm	-	-	-	-	-	-
Technically permitted total mass	kg	1500 ^{a)}	1600 / 1700 ^{h)} ^{a)}	1600 / 1700 ^{h)} ^{a)}	1600 / 1700 ^{h)} ^{a)}	2000 ^{a)}	2200 ^{a)}
Own weight	kg ^{b)}	1290	1310	1380	1407	1673	1723
Basic equipment	kg ^{a)}	53	53	53	53	45	43
Mass when ready for the road	kg ^{c)}	1343	1363	1433	1460	1718	1766
Loading	kg ca.	157	237 / 337 ^{h)}	167 / 267 ^{h)}	140 / 240 ^{h)}	282	434
Floor/roof/wall thicknesses	mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31	47 / 47 / 31
Tyres	ⁱ⁾	205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	185/65 R 14	195/65 R 15
Single/tandem axle		1	1	1	1	2	2
Awning size	cm	960	976 ^{p)}	1002 ⁿ⁾ ^{r)}	1002 ⁿ⁾ ^{r)}	1115 ^{u)}	1122

DIAMANT

		550 SG	560 SF	560 SG	650 SG
Overall length	cm	774	774	774	864
Structural length	cm	662	662	662	752
Useful length	cm	576	569	576	666
Overall width	cm	232	250	250	250
Max. height	cm	263	263	263	262
Headroom	cm	195	195	195	195
Sleeping places		4	4	4	4
Nose bed surface	cm	1x85x200/1x85x205	175/147 x 230	1x90x200/1x90x205	2 x 90 x 205
Rear bed surface	cm	147/142 x 210	160 x 200	147/142 x 230	190/152 x 230
Middle bed surface	cm	-	-	-	-
Bunk bed surface	cm	-	-	-	-
Technically permitted total mass	kg	1800 ^{a)}	1900 / 2000 ^{h)} ^{a)}	1900 / 2000 ^{h)} ^{a)}	2200 ^{a)}
Own weight	kg ^{b)}	1487	1522	1558	1809
Basic equipment	kg ^{a)}	53	53	53	53
Mass when ready for the road	kg ^{c)}	1540	1575	1611	1862
Loading	kg ca.	260	325 / 425 ^{h)}	289 / 389 ^{h)}	338
Floor/roof/wall thicknesses	mm	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31
Tyres	ⁱ⁾	205/70 R 15 C	215/70 R 15	215/70 R 15	195/65 R 15
Single/tandem axle		1	1	1	2
Awning size	cm	1030	1032	1032	1122

OPAL

465 SFH	515 SG	515 SKF	550 SG	560 SG	560 SRF	650 SRG
705	753	753	774	774	774	864
594	642	642	662	662	662	752
507	556	556	576	576	569	666
232	232	232	232	250	250	250
263	263	263	263	263	263	262
195	195	195	195	195	195	195
3	4	5	4	4	4	4
122/109 x 210	1x85x190/1x85x200	140 x 210	1x85x205/1x85x200	1x90x205/1x90x200	150 x 200	1x90x205/1x90x210
140 x 200	142/135 x 210	90 x 210	151/133 x 210	151/133 x 230	213/162 x 230	214/152 x 230
-	-	97 x 210	-	-	-	-
-	-	75 x 216	-	-	-	-
1500 ^{a)}	1600 / 1700 ^{h)} ^{a)}	1700 ^{a)}	1700 ^{a)}	1700 / 1800 ^{h)} ^{a)}	1700 / 1800 ^{h)} ^{a)}	2000 ^{a)}
1253	1382	1395	1393	1435	1460	1745
53	53	53	53	53	53	53
1306	1435	1448	1446	1488	1513	1798
194	165 / 265 ^{h)}	252	254	212 / 312 ^{h)}	187 / 287 ^{h)}	202
47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 39 / 31	47 / 47 / 31
205/65 R 15	195/70 R 15 C	195/70 R 15 C	195/70 R 15 C	205/70 R 15 C	205/70 R 15 C	185/65 R 14
1	1	1	1	1	1	2
960	1002 ⁿ⁾ ^{r)}	1002 ⁿ⁾ ^{r)}	1030	1021 ^{s)}	1021 ^{s)}	1115 ^{u)}

Signs and symbols:

- a) 100 percent filled aluminium gas cylinder (11 kg), fresh-water tank with ten litre filling in running order, 100 percent filled toilet flushing tank, 100 percent filled water heater

b) The dead weight reflects the vehicle weight with standard equipment without water, gas or other accessories

c) The mass in running order was determined in conformity with Ordinance (EU) 1230/2012 under consideration of the filling in running order of the fresh water tank, of the 100 percent filled toilet flushing tank, of the the 100 percent water heater and an aluminium gas cylinder (11 kg) filled a 100 percent

d) Loading capacity of the fresh water tank in keeping with Enclosure V, Part A, Fig. 2.6 Fn(h) of Ordinance (EU) 1230/2012 under consideration of the movement limitation (drain nozzle at the fresh water tank) 10 l filling in running order)

e) Loading capacity of the fresh water tank maximum 25 litres or 45 litres under consideration of the drain nozzle in the fresh water tank

g) By installing a new chassis, additional weight variants are possible - your trading partner will be pleased to inform you

h) Permitted weight

i) Alternative tyre sizes permitted by manufacturer

p) 1900/2000 kg: Awning size 987 cm

r) 1900/2000 kg: Awning size 1013 cm

s) 1900/2000 kg: Awning size 1032 cm

t) 2200 kg: Awning size 1173 cm

u) 2200/2400/2500 kg: Awning size 1122 cm

v) 2400/2500 kg: Awning size 1163 cm

l) 1500 kg: Awning size 864 cm

m) 1600/1700 kg: Awning size 907 cm

n) 1800 kg: Awning size 1011 cm

o) 1800 kg: Awning size 1021cm

Important notes:

The catalogue and the price list reflect the state at the time of printing. Despite the examination of the content, printing errors cannot be excluded. In the course of the model year, we reserve the right to carry out equipment changes and product improvements. Typographical and photo-technical colour differences cannot be excluded completely.

The models depicted in the catalogue and in the price list contain special equipment and/or decorations in parts, which do not belong to the standard scope of supply.

In case of weights, deviations of up to +/- 5 percent are possible due to the use of natural materials. When fitting accessories, the mass in roadworthy condition is increased. Additions to the vehicle may have an effect on the support load. All dimensions are non-binding and may be subject to slight changes.

Data of masses and weights are rendered in conformity with Ordinance (EU) 1230 / 2012, provided no deviating data are rendered in the catalogue including technical data and pricelist.

Caution: Axle and drawbar loads as well as the observation of the technically permissible overall mass have to be observed. The observation of the permissible masses and load has to be ensured by a distribution of the load in the vehicle.

Equipment may have an influence on the payload and/or load capacity by increasing / reducing the empty weight. It has to be observed that the load capacity may be lower depending on the equipment. The payload corresponds to the difference between the technically permissible overall mass and the mass in the roadworthy condition. This value shall have to take into consideration the mass for special accessories and personal equipment.

The technically permissible overall weight in loaded condition must not be exceeded by any means. Please ask your specialist Fendt Caravan dealer, if and when necessary.

We reserve the right to change prices, constructions and equipment.



+++ 12 years guarantee for tightness of body connections: This guarantee is valid only in conjunction with the annual chargeable inspection at an authorised Fendt Caravan dealer +++ Certification in conformity with ISO 9001:2015 +++ Environmental management certification in conformity with ISO 14001:2015 +++ Metallic paint +++ 47 mm floor thickness for ideal insulation values +++ Rain and sunblind rails at the windows +++ Drain cocks for uncomplicated emptying of water conduits +++ Solid screwed connections +++ Two-parts side-wall sheet metal +++ Stable furniture made of plywood glued several times +++ Extra robust hinges, put-up hinges and seals +++ Two-pole ground fault circuit breaker with 30 mA



Fendt-Caravan GmbH • Postfach 1135 • D-86689 Mertingen
Tel. +49 (0) 90 78 / 96 88 - 0 • Fax +49 (0) 90 78 / 96 88 - 406

2020

www.fendt-caravan.com (facebook, instagram, youtube)